

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form : Substance
Trade name : UN1350 Sulfur powder AGR
Chemical name : sulfur
IUPAC name : sulfur
EC Index-No. : 016-094-00-1
EC-No. : 231-722-6
CAS-No. : 7704-34-9
REACH registration No : 01-2119487295-27
Product code : SUPW-00A
Formula : S

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.2.1. Relevant identified uses**

Main use category : Laboratory use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

labbox labware s.l.
Migjorn, 1
P.O. Box Barcelona (SPAIN)
08338 Premia de Dalt – SPAIN
ES
T +34 937 07 79 70 - F +34 937 909 532
info@labbox.com - www.labbox.com

1.4. Emergency telephone number

Emergency number : +34 937 077 970 (For technical information_Office Hours) In case of medical emergency phone 112 or to your local emergency number.

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Skin corrosion/irritation, Category 2 H315
Full text of H and EUH statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

UN1350 Sulfur powder AGR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) :

Warning

Hazard statements (CLP) :

H315 - Causes skin irritation.

Precautionary statements (CLP) :

P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance type : Mono-constituent

Name	Product identifier	%
Sulfur powder	CAS-No.: 7704-34-9 EC-No.: 231-722-6 EC Index-No.: 016-094-00-1 REACH-no: 01-2119487295-27	≥ 99,85

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general :

Get medical advice/attention if you feel unwell.

First-aid measures after inhalation :

Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice.

First-aid measures after skin contact :

Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact :

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

First-aid measures after ingestion :

Rinse mouth. Do not induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact :

Causes skin irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Never give anything by mouth to an unconscious person.

UN1350 Sulfur powder AGR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Foam. Dry powder. Carbon dioxide. Sand.
Unsuitable extinguishing media : Strong water jet.

5.2. Special hazards arising from the substance or mixture

Fire hazard : combustible materials. Heating may cause a fire or explosion.
Hazardous decomposition products in case of fire : Toxic vapours are released.

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire.
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid dust formation.

6.1.1. For non-emergency personnel

Measures in case of dust release : Do not breathe dust.

6.1.2. For emergency responders

Protective equipment : Breathing apparatus. Do not attempt to take action without suitable protective equipment.

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.
Methods for cleaning up : Large spills: scoop solid spill into closing containers. This material and its container must be disposed of in a safe way, and as per local legislation. On land, sweep or shovel into suitable containers. Collect spillage.

6.4. Reference to other sections

See Heading 8. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Store in a well-ventilated place. Keep container tightly closed.
Storage area : Store in a dry area. Store in a cool, well-ventilated place. Labelling.
Special rules on packaging : Keep only in original container. Store in a closed container.

7.3. Specific end use(s)

Laboratory chemicals.

UN1350 Sulfur powder AGR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure. EN 374.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves against chemicals (EN 374)

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

The present safety data sheet is consistent with the specific conditions relied on to justify the registration of the substance in accordance with Article 17 or 18 of the REACH regulation. Do not eat, drink or smoke during use. Wash hands with water as a precaution.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

UN1350 Sulfur powder AGR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Colour	: light yellow.
Molecular mass	: 32,06 g/mol
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: 112,8 – 120 °C
Freezing point	: Not available
Boiling point	: 444,6 °C Atm. press.: 1013,25 hPa
Flammability	: Not available
Explosive limits	: Not applicable
Lower explosion limit	: 1 vol %
Upper explosion limit	: 40 vol %
Flash point	: 207 °C Atm. press.: 1013,25 hPa
Auto-ignition temperature	: 235 °C
Decomposition temperature	: Not available
pH	: Not available
pH solution	: Not available
Viscosity, kinematic	: 8,213 mm ² /s
Viscosity, dynamic	: 17 mPa·s 120° C
Solubility	: practically insoluble.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 0,000005 hPa Temp.: 30,4 °C
Vapour pressure at 50 °C	: Not available
Density	: 2,07 g/cm ³ Type: 'density' Temp.: 20 °C
Relative density	: 1,8 – 2,36 20° C
Relative vapour density at 20 °C	: Not applicable
Particle size	: Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable in use and storage conditions as recommended in item 7.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reacts vigorously with strong oxidizers and acids. Heavy metals.

10.4. Conditions to avoid

Overheating.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

UN1350 Sulfur powder AGR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

UN1350 Sulfur powder AGR (7704-34-9)	
LD50 oral rat	> 2200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 5,4 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

UN1350 Sulfur powder AGR (7704-34-9)	
Viscosity, kinematic	8,213 mm ² /s

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Not classified

UN1350 Sulfur powder AGR (7704-34-9)	
LC50 - Fish [1]	> 5000 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
NOEC chronic fish	9,3 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

UN1350 Sulfur powder AGR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.
Waste treatment methods : Must follow special treatment according to local regulation.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No. (ADR) : UN 1350
UN-No. (IMDG) : UN 1350
UN-No. (IATA) : UN 1350
UN-No. (ADN) : UN 1350
UN-No. (RID) : UN 1350

14.2. UN proper shipping name

Proper Shipping Name (ADR) : SULPHUR
Proper Shipping Name (IMDG) : SULPHUR
Proper Shipping Name (IATA) : Sulphur
Proper Shipping Name (ADN) : SULPHUR
Proper Shipping Name (RID) : SULPHUR
Transport document description (ADR) : UN 1350 SULPHUR, 4.1, III, (E)
Transport document description (IMDG) : UN 1350 SULPHUR, 4.1, III
Transport document description (IATA) : UN 1350 Sulphur, 4.1, III
Transport document description (ADN) : UN 1350 SULPHUR, 4.1, III
Transport document description (RID) : UN 1350 SULPHUR, 4.1, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 4.1
Danger labels (ADR) : 4.1



IMDG

Transport hazard class(es) (IMDG) : 4.1
Danger labels (IMDG) : 4.1



UN1350 Sulfur powder AGR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

IATA

Transport hazard class(es) (IATA) : 4.1
Danger labels (IATA) : 4.1
:



ADN

Transport hazard class(es) (ADN) : 4.1
Danger labels (ADN) : 4.1
:



RID

Transport hazard class(es) (RID) : 4.1
Danger labels (RID) : 4.1
:



14.4. Packing group


Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F3
Special provisions (ADR) : 242
Limited quantities (ADR) : 5kg
Excepted quantities (ADR) : E1
Packing instructions (ADR) : P002, IBC08, LP02, R001
Special packing provisions (ADR) : B3
Mixed packing provisions (ADR) : MP11
Portable tank and bulk container instructions (ADR) : T1, BK1, BK2
Portable tank and bulk container special provisions (ADR) : TP33
Tank code (ADR) : SGAV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Bulk (ADR) : VC1, VC2
Hazard identification number (Kemler No.) : 40
Orange plates : 

Tunnel restriction code (ADR) : E

UN1350 Sulfur powder AGR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EAC code : 1Z

Transport by sea

Special provisions (IMDG) : 242, 967
Limited quantities (IMDG) : 5 kg
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : P002, LP02
IBC packing instructions (IMDG) : IBC08
IBC special provisions (IMDG) : B3
Tank instructions (IMDG) : T1, BK2, BK3
Tank special provisions (IMDG) : TP33
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-G
Stowage category (IMDG) : A
Stowage and handling (IMDG) : SW1, SW23
Segregation (IMDG) : SG17
Properties and observations (IMDG) : When involved in a fire, evolves toxic, very irritating and suffocating gas. The dust forms an explosive mixture with air which may be ignited by static electricity. Forms explosive mixtures with oxidizing substances. Corrosive to steel, in particular in the presence of moisture. The provisions of this Code should not apply to sulphur when it is formed to a specific shape (such as prills, granules, pellets, pastilles or flakes).

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y443
PCA limited quantity max net quantity (IATA) : 10kg
PCA packing instructions (IATA) : 446
PCA max net quantity (IATA) : 25kg
CAO packing instructions (IATA) : 449
CAO max net quantity (IATA) : 100kg
Special provisions (IATA) : A105
ERG code (IATA) : 3L

Inland waterway transport

Classification code (ADN) : F3
Special provisions (ADN) : 242
Limited quantities (ADN) : 5 kg
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : B
Equipment required (ADN) : PP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : F3
Special provisions (RID) : 242
Limited quantities (RID) : 5kg
Excepted quantities (RID) : E1
Packing instructions (RID) : P002, IBC08, LP02, R001
Special packing provisions (RID) : B3
Mixed packing provisions (RID) : MP11
Portable tank and bulk container instructions (RID) : T1, BK1, BK2
Portable tank and bulk container special provisions (RID) : TP33
Tank codes for RID tanks (RID) : SGAV
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W1
Special provisions for carriage – Bulk (RID) : VC1, VC2
Colis express (express parcels) (RID) : CE11
Hazard identification number (RID) : 40

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

UN1350 Sulfur powder AGR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

No REACH Annex XVII restrictions

REACH Annex XIV (Authorisation List)

UN1350 Sulfur powder AGR is not on the REACH Annex XIV List

REACH Candidate List (SVHC)

UN1350 Sulfur powder AGR is not on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

UN1350 Sulfur powder AGR is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

UN1350 Sulfur powder AGR is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Sulfur powder is not subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to VwVwS, Annex 1 or 2; ID No. 753).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:

H315	Causes skin irritation.
Skin Irrit. 2	Skin corrosion/irritation, Category 2

Safety Data Sheet (SDS), EU

UN1350 Sulfur powder AGR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.